

WEST Search History for Application 10552568

Creation Date: 2011011616:21

Prior Art Searches

| Query | DB | Op. | Plur. | Thes. | Date |
|---|---|-----|-------|-------|------------|
| erythropoietin or epo | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4 or pda | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4 or pda) near10 (pharmaceutui\$4 or administ\$4 or oral\$4 or surfactatn or inject\$4) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4 or pda) near10 (pharmaceut\$6 or administ\$4 or oral\$4 or surfactatn or inject\$4) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4 or pda) near5 (pharmaceut\$6 or administ\$4 or oral\$4 or surfactatn or inject\$4) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4 or pda near5 (pharmaceut\$6 or administ\$4 or oral\$4 or surfactatn or inject\$4)) and (erythropoietin or epo) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| | | ADJ | YES | | 01-16-2011 |

| | | | | | |
|---|------------------------------------|-----|-----|--|------------|
| (poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4 or pda near5 (pharmaceut\$6 or administ\$4 or oral\$4 or surfactatn or inject\$4) and erythropoietin or epo) and @ay<2005 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | | | | |
| poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4) near5 (pharmaceut\$6 or administ\$4) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4 near5 (pharmaceut\$6 or administ\$4)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (poly-d-aspart\$4 or polyaspart\$4 or poly-aspart\$4 near5 (pharmaceut\$6 or administ\$4)) and @ay<2005 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| poly-d-aspart\$5 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (poly-d-aspart\$5) and @ay<2005 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| poly-d-asp | PGPB, USPT, USOC, EPAB, | ADJ | YES | | 01-16-2011 |

| | | | | | |
|---|---|-----|-----|--|------------|
| | JPAB, DWPI | | | | |
| plasmid or dna | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (plasmid or dna) near5 (gene therap\$4) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (plasmid or dna near5 (gene therap\$4)) and preservative | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (plasmid or dna near5 (gene therap\$4) and preservative) and buffer\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (plasmid or dna near5 (gene therap\$4) and preservative and buffer\$4) and ph near2 adjust\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (plasmid or dna near5 (gene therap\$4) and preservative and buffer\$4 and ph near2 adjust\$4) and (hsa or human serum albumin) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (plasmid or dna near5 (gene therap\$4) and preservative and buffer\$4 and ph near2 adjust\$4 and (hsa or human serum albumin)) and oral\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| | | ADJ | YES | | 01-16-2011 |

| | | | | | |
|---|------------------------------------|-----|-----|--|------------|
| (plasmid or dna near5 (gene therap\$4) and preservative and buffer\$4 and ph near2 adjust\$4 and (hsa or human serum albumin) and oral\$4) and lyophil\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | | | | |
| (plasmid or dna near5 (gene therap\$4) and preservative and buffer\$4 and ph near2 adjust\$4 and (hsa or human serum albumin) and oral\$4 and lyophil\$4) and indect\$5 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (plasmid or dna near5 (gene therap\$4) and preservative and buffer\$4 and ph near2 adjust\$4 and (hsa or human serum albumin) and oral\$4 and lyophil\$4) and inject\$5 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (plasmid or dna near5 (gene therap\$4) and preservative and buffer\$4 and ph near2 adjust\$4 and (hsa or human serum albumin) and oral\$4 and lyophil\$4 and inject\$5) and @ay<2003 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| vector same gene therapy | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (vector same gene therapy) same formulat\$5 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (vector same gene therapy same formulat\$5) and buffer\$3 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (vector same gene therapy same formulat\$5 and buffer\$3) and (hsa or human serum albumin) | PGPB, USPT, USOC, EPAB, | ADJ | YES | | 01-16-2011 |

| | | | | | |
|--|---|-----|-----|--|------------|
| | JPAB, DWPI | | | | |
| (vector same gene therapy same formulat\$5 and buffer\$3 and (hsa or human serum albumin)) and injectable | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (vector same gene therapy same formulat\$5 and buffer\$3 and (hsa or human serum albumin) and injectable) and lysophil\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (vector same gene therapy same formulat\$5 and buffer\$3 and (hsa or human serum albumin) and injectable) and lyophiliz\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (vector same gene therapy same formulat\$5 and buffer\$3 and (hsa or human serum albumin) and injectable and lyophiliz\$4) and oral\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (vector same gene therapy same formulat\$5 and buffer\$3 and (hsa or human serum albumin) and injectable and lyophiliz\$4 and oral\$4) and @ay<2004 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| buffer\$4 sam4 (acetat\$4 or lactat\$4 or maleate or succinate or phosphate or carbonate or bicarbonate) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| buffer\$4 same (acetat\$4 or lactat\$4 or maleate or succinate or phosphate or carbonate or bicarbonate) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| | | ADJ | YES | | 01-16-2011 |

| | | | | | |
|---|---|-----|-----|--|------------|
| (gene therap\$4 or transfection) near5 (composition or formulat\$4) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | | | | |
| preservative near10 (phenol or benzyl alcohol or paraben) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (preservative near10 (phenol or benzyl alcohol or paraben)) and ((gene therap\$4 or transfection) near5 (composition or formulat\$4)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (preservative near10 (phenol or benzyl alcohol or paraben) and (gene therap\$4 or transfection) near5 (composition or formulat\$4)) and (buffer\$4 same (acetat\$4 or lactat\$4 or maleate or succinate or phosphate or carbonate or bicarbonate)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (preservative near10 (phenol or benzyl alcohol or paraben) and (gene therap\$4 or transfection) near5 (composition or formulat\$4) and buffer\$4 same (acetat\$4 or lactat\$4 or maleate or succinate or phosphate or carbonate or bicarbonate)) and (saline or isotonicity) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (preservative near10 (phenol or benzyl alcohol or paraben) and (gene therap\$4 or transfection) near5 (composition or formulat\$4) and buffer\$4 same (acetat\$4 or lactat\$4 or maleate or succinate or phosphate or carbonate or bicarbonate) and (saline or isotonicity)) and (hsa or human serum albumin) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (preservative near10 (phenol or benzyl alcohol or paraben) and (gene therap\$4 or transfection) near5 (composition or formulat\$4) and buffer\$4 same (acetat\$4 or lactat\$4 or maleate or succinate or phosphate or carbonate or bicarbonate) and (saline or isotonicity) and (hsa or human serum albumin)) and injectable and oral\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (preservative near10 (phenol or benzyl alcohol or paraben) and (gene therap\$4 or transfection) near5 (composition or formulat\$4) and buffer\$4 same | PGPB, USPT, USOC, | ADJ | YES | | 01-16-2011 |

| | | | | | |
|--|------------------------------------|-----|-----|--|------------|
| (acetat\$4 or lactat\$4 or maleate or succinate or phosphate or carbonate or bicarbonate) and (saline or isotonicity) and (hsa or human serum albumin) and injectable and oral\$4) and @ay<2004 | EPAB, JPAB, DWPI | | | | |
| ((gene therap\$4 or transfection) near5 (composition or formulat\$4)) same (preservative near10 (phenol or benzyl alcohol or paraben)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (preservative near10 (phenol or benzyl alcohol or paraben)) same gene therap\$4 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (preservative near10 (phenol or benzyl alcohol or paraben) same gene therap\$4) and @ay<2004 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| ((gene therap\$4 or transfection) near5 (composition or formulat\$4)) near5 oral\$4 near5 enteric\$5 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| ((gene therap\$4 or transfection) near5 (composition or formulat\$4)) same lysophili\$5 same (fatty acid or entric\$4 or surfactant) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| ((gene therap\$4 or transfection) near5 (composition or formulat\$4)) same lyophili\$5 same (fatty acid or entric\$4 or surfactant) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| ((gene therap\$4 or transfection) near5 (composition or formulat\$4)) same (fatty acid or enteric\$4 or surfactant) | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |

| | | | | | |
|--|------------------------------------|-----|-----|--|------------|
| ((gene therap\$4 or transfection) near5 (composition or formulat\$4) same (fatty acid or enteric\$4 or surfactant)) and lyophiliz\$5 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| ((gene therap\$4 or transfection) near5 (composition or formulat\$4) same (fatty acid or enteric\$4 or surfactant)) and lyophiliz\$5 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| ((gene therap\$4 or transfection) near5 (composition or formulat\$4) same (fatty acid or enteric\$4 or surfactant) and lyophiliz\$5) and @ay<2004 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| us-6080557-\$.did. | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (us-6080557-\$.did.) and surfactant | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (us-6080557-\$.did.) and fatty acid | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| (us-6080557-\$.did.) and enteric | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |
| phosphate near5 buffer\$3 near5 ph near5 range | PGPB, USPT, USOC, EPAB, | ADJ | YES | | 01-16-2011 |

| | | | | | |
|---|---|-----|-----|--|------------|
| | JPAB, DWPI | | | | |
| (phosphate near5 buffer\$3 near5 ph near5 range) and @ay<2002 | PGPB, USPT, USOC, EPAB, JPAB, DWPI | ADJ | YES | | 01-16-2011 |